

HALLMARK FLOORS


EDUCATION

A truly effective learning environment should be comfortable, inviting and inspiring for both students and educators. From K-12 buildings to higher education institutions, school budgets offer little to no flexibility, and maintenance costs factor highly in choosing flooring and other interior pieces. Hallmark's rigid core resilient floors optimize any learning environment and are cost effective.

An important detail to consider when choosing commercial resilient floors for educational settings is the construction of the subfloor. Resilient floors are designed to go over wood or concrete sub floors. Floating floors are best for second stories or first floors with suspended wood. Glue direct floors are more stable and are suitable for all levels, including lightweight concrete.

The best use for Hallmark commercial resilient floors is in interior hallways, lobbies, and classrooms. Turn to our Courtier, Voyager, Times Square, 3Twenty & 2Twelve collections for a variety of wood visuals, textures and concrete designs, all of which can be recoated to extend the life of the floor, and reduce maintenance, life cycle cost and liability.





Studies show a strong correlation between a learning environment and student success.

See installation matrix on last page for types of educational flooring we offer along with recommendations for the best choice for each type of space.



EDUCATION	Classrooms	Offices/Admin	Indoor Corridors	Restrooms/Locker Rooms	Libraries/ Common Spaces
True Hardwood					
Alta Vista Hardwood					
Ventura Hardwood					
Novella Hardwood					
Regatta Rigid Wood			*		*
Courtier Waterproof			*		*
Times Square Waterproof					
2Twelve Waterproof					
3Twenty Waterproof					
Voyager PVC Free	+	+	+	+	+
Xcora Strand Bamboo			**		*
Pureform Traditional Bamboo			**		*

OK
Depending on * **

Not suitable

* Click/floating floors not recommended for this particular application

** Contact Hallmark Floors with project-specific details

*** Dry areas suitable; wet areas unsuitable

+ vvet set installation required

